



### Medications Available:

**Actemra (Tocilizumab)**- treats moderate to severe rheumatoid arthritis. IV infusion given monthly.

**Avsola (Infliximab)**- drug that reduces the signs and symptoms of moderate to severe rheumatoid arthritis (RA), psoriatic arthritis (PsA), plaque psoriasis, ankylosing spondylitis, ulcerative colitis, and Crohn's disease. IV infusion given in three starting doses within the first six weeks of your treatment. After the initial six weeks, patients will receive infusions once every six to eight weeks.

**Boniva (Ibandronic acid)**- IV medication to treat osteoporosis given every 3 months.

**Cimzia (Certolizumab)**- drug that reduces the signs and symptoms of moderate to severe rheumatoid arthritis (RA), psoriatic arthritis (PsA), ankylosing spondylitis, and Crohn's disease. SQ injection Given at 0, 2, and then 4 weeks. Maintenance dose will be monthly thereafter.

**Dalvance (Dalbavancin)**- lipoglycopeptide antibiotic infusion of 2 doses given 8 days apart (IV Infusion ).

**Entyvio (Vedolizumab)**- IV medication used to treat moderate to severe ulcerative colitis or Crohn's disease. Infusion given at 0, 2, and 6 weeks, then every 8 weeks thereafter.

**Evenity (Romosozumab)**- used to prevent fragile bones, also known as osteoporosis, and bone fractures. SQ injection is given once a month for 12 months.

**Fasenra (Benralizumab)**- Injection used to treat severe asthma. The first 3 doses are administered every 4 weeks, then every 8 weeks thereafter.

**Infectra (Infliximab)**- drug that reduces the signs and symptoms of moderate to severe rheumatoid arthritis (RA), psoriatic arthritis (PsA), plaque psoriasis, ankylosing spondylitis, ulcerative colitis, and Crohn's disease. IV infusion given at 0,2, and 6 weeks followed by a maintenance dose every 8 weeks thereafter.

**Injectafer (Ferric Carboxymaltose)**- IV iron replacement given as needed

**Krystexxa (Pegloticase)**- treatment of chronic gout in adults who have failed to normalize serum uric acid. IV infusion given every 2 weeks for 12 treatments.

**Leqvio (Inclisiran)**- treatment of adults with atherosclerotic cardiovascular disease (ASCVD) to lower LDL cholesterol. SQ injection at initial visit, again at 3 months, then every 6 months thereafter.

**Nucala (Mepolizumab)**- Injection given to treat patients with severe asthma, chronic rhinosinusitis, hypereosinophilic syndrome(HES). SQ injection given every 4 weeks.

**Orencia (Abatacept)**- used to treat rheumatoid arthritis (RA), or psoriatic arthritis. IV infusion is given monthly.

**Ocrevus (Ocrelizumab)**- treats relapsing forms of multiple sclerosis (MS) and primary progressive MS in adults. IV infusion given every 6 months.

**Prolia (Denosumab)**- used to treat osteoporosis in women after menopause who are at high risk for fractures and cannot use osteoporosis medication, or it has been tried and failed. SQ injection given every 6 months.

**Reclast (Zoledronic Acid)**- a bisphosphonate prescribed to prevent or treat osteoporosis or Paget's disease. IV infusion given yearly.

**Remicade (Infliximab)**- IV infusion given every 4-8 weeks to treat rheumatoid arthritis, ulcerative colitis, or Crohn's disease.

**Rituxan (Rituximab)**- IV infusion given to treat moderate to severe rheumatoid arthritis and are currently taking methotrexate. Rituxan is administered in "courses". Each course consists of two 1-gram infusions given two weeks apart. The courses are separated by 6 months for a total of 4 infusions per year.

**Saphnelo (Anifrolumab-Fnia)**- IV infusion given every 4 weeks to treat lupus.

**Skyrizi (Risankizumab-rzaa)**- medication used to treat plaque psoriasis, psoriatic arthritis, or moderate to severe Crohn's disease. SQ injection 4x per year after two starter IV doses.

**Solumedrol (Methylprednisolone)**- IV infusion ordered as needed for exacerbation of multiple sclerosis (MS).

**Stelara (Ustekinumab)**- medication used to treat severe plaque psoriasis, psoriatic arthritis, or moderate to severe Crohn's disease. IV infusion given as one time dose, followed by SQ injection every 8 weeks thereafter.

**Tepezza (Teprotumumab-Trbw)**- treats thyroid eye disease, reduces eye bulging and double vision. IV infusion given every 3 weeks for 8 doses.

**Tezspire (Tezepelumab-Ekko)**- add on maintenance treatment for severe asthma. SQ injection given every 4 weeks.

**Venofer (Iron/Feraheme/Injectafer)**- treatment of iron deficiency anemia in patients with chronic kidney disease (CKD). IV infusion ordered as needed.

**Vyvgart (Efgartigimod Alfa-fcab)**- medication that can treat generalized MG in adults who are anti-acetylcholine receptor (AChR) antibody positive. IV infusion is given weekly for 4 weeks (4 infusions total).

**Xolair (Omalizumab)**- anti-inflammatory for allergic asthma. SQ injection every 2-4 weeks as ordered. Used to treat moderate to severe persistent asthma, chronic hives with no cause, or nasal polyps when nasal corticosteroids have not worked well enough.